

# 07

## **MACQUARIE UNIVERSITY SIGNAGE AND WAYFINDING GUIDELINES**

Part Seven / Issue Four  
Signage Design – Internal

**CITIZEN**



<b>01</b>	INTRODUCTION	
<b>02</b>	WAYFINDING PRINCIPLES	
<b>03</b>	DESIGN ELEMENTS	
<b>04</b>	NAMING STRATEGY – EXTERNAL	
<b>05</b>	NAMING STRATEGY – INTERNAL	
<b>06</b>	SIGNAGE DESIGN – EXTERNAL	
<b>07</b>	SIGNAGE DESIGN – INTERNAL	→
<b>08</b>	CONSTRUCTION DETAILS	
<b>09</b>	SPECIFICATION	
APPENDIX 1		
ROLLOUT PLANNING		
SIGN LOCATION OVERVIEW		
BULK QUANTITIES		
APPENDIX 2		
SUSTAINABILITY		
<b>07</b>	<b>SECTION SEVEN: SIGNAGE DESIGN – INTERNAL</b>	
	SIGNAGE SELECTION GUIDE	006
	ACCESSIBILITY PRINCIPLES	016
	SIGN PLACEMENT	018
	DESIGN ELEMENTS	020
	ENTRY SERIES	026
	DIRECTORY SERIES	029
	DIRECTIONAL SERIES	050
	VENUE/DESTINATION SERIES	066
	RECEPTION SERIES	073
	INFORMATION SERIES	078
	SPECIAL ROOMS SERIES	082
	AMENITY SERIES	095
	ROOM SERIES	110
	GLAZING SERIES	116
	MISCELLANEOUS	120



**Interior Signage  
Principles and Scheme Overview**

# INTRODUCTION

## PROJECT GOALS AND STANDARDS

---

The goal of this project for the University is to create engaging environments that add value to the fabric of the University through a signage wayfinding system that seeks to:

- Provide the user with a sense of confidence as they move about the campus;
- Enhance and express the University's identity on campus; and
- Increase efficiency in navigation; and
- Create an accessible campus; and
- Consider sustainability.

An important consideration within the scheme is flexibility to accommodate change, for both the current campus and the future masterplan which sees significant development and growth.

Consistency and accuracy in the use of the scheme will be fundamental to the overall success of the system. Signage and wayfinding schemes find their strength in the sum of their parts.

## SIGNAGE SHOP DRAWING AND REVIEW

---

Signage content should be issued to Macquarie University Property for review and approval prior to installation. Where applicable, content from project stakeholders and/or users should be sought.

### SIGN CODES USED IN THIS GUIDELINE

#### Sign Type Code


Signs have been categorised by Exterior and Interior. This is indicated by the first letter of the sign code.

E = Exterior signs

I = Interior signs

Different sign types are used in different situations based on factors such as purpose, physical context or significance. Each sign type is identified by a number following the sign category letters (e.g. E001 is a different identification sign to I001).


In some instances minor differences exist within a sign type and they are identified by an alphabetical suffix (e.g. E001a, E001b, etc).





# SIGNAGE SELECTION GUIDE

## INTERNAL

### Entry Series

Sign type	Sign use	Typical content	Location
<p><b>I001</b> Building Entrance Door – Wall Mounted – Glazing</p> <p>NOTE: This sign has two components. <b>p.g. 026</b></p>	 <p>– To identify building entrances. Primarily used for accessibility, to note that 'Entry 1' should always be the accessible entry to the building.</p>	<p>– Entry/door number</p>	<p>– On door at building entrance only where there are multiple entries – Entry 1 is always the accessible entry. – Panel on wall adjacent to door.</p> <p>NOTE: This sign has two components.</p>

### Directory Series

Sign type	Sign use	Typical content	Location
<p><b>I002</b> Extra Large Directory – Free Standing <b>p.g. 029</b></p>	 <p>– To identify the levels within the building – Detailed searches for individual names/offices etc</p>	<p>– Building address/name – Faculties/departments/research centres (National/MU/Faculty) – Key rooms/lecture theatres/teaching spaces/meeting rooms/Deans office/faculty executive – Interactive/Hard copy building/level map – Braille and tactile location/assistance details – Level the user is on</p>	<p>– Main entrance foyer</p> <p>Note: This sign must be integrated with tactile ground locators as specified in AS1428.4.1 Tactile Ground Surface Indicators.</p>
<p><b>I003</b> Extra Large Directory – Wall Mounted <b>p.g. 033</b></p>	 <p>– To identify the levels within the building – Detailed searches for individual names/offices etc</p>	<p>AS ABOVE</p>	<p>– Main entrance foyer – Existing buildings where the construction of concealed footings for a freestanding main directory are not possible.</p>



**I004**


Large Directory  
– Wall Mounted  
p.g. 039



- To identify the levels within the building
- Detailed searches for individual names/offices etc
- Building address/name
- Faculties/departments/research centres (National/MU/Faculty)
- Key rooms/lecture theatres/teaching spaces/meeting rooms/Deans office/faculty executive
- Braille and tactile location/assistance details
- Level the user is on
- At main entrance of small building
- At high traffic secondary entrances to buildings.

**I005**


Medium Directory  
– Wall Mounted  
p.g. 042



- To identify the occupants of a specific level within the building
- Level
- Faculties/departments/research centres (National/MU/Faculty)
- Key rooms/lecture theatres/teaching spaces/meeting rooms/Deans office/faculty executive
- Braille and tactile location/assistance details
- Level the user is on
- Level arrival points e.g. adjacent to lifts or at stairs.
- It should not be used for the main building directory.

**I006**

Small Directory  
– Wall Mounted  
p.g. 044



- To identify the occupants of a specific level within the building. This sign should only be used in extreme situations where space is very limited.
- AS ABOVE
- Level arrival points e.g. adjacent to lifts or at stairs.
- It should not be used for the main building directory.

**I007**

Lift Internal Directory  
– Wall Mounted  
p.g. 046








- To identify the levels within the building
- To identify occupants of a specific level
- Building address/name
- Faculties/Departments/Research Centres (National/MU/Faculty)
- Key rooms such as lecture theatres/teaching spaces/meeting rooms/Deans office/faculty executive
- On wall inside lift

# SIGNAGE SELECTION GUIDE


## INTERNAL

### Directional Series

Sign type		Sign use	Typical content	Location
<b>I008</b> Level Arrival Directional – Overhead (regular ceiling height) p.g. 050		– To direct users around the level they are on	– Level number – Key rooms such as lecture theatres/teaching spaces/meeting rooms/Deans office/faculty executive – General room number directional – Amenities	– Level arrival area (lifts or stairs) – Decision making point e.g. corridor intersection.
<b>I009</b> Level Arrival Directional – Overhead (low ceiling height) p.g. 054		– To direct users around the level they are on – Ceiling height 2400mm	– Level number – Key rooms such as lecture theatres/teaching spaces/meeting rooms/Deans office/faculty executive – General room number directional – Amenities	– Level arrival area (lifts or stairs) – Decision making point e.g. corridor intersection.
<b>I010</b> Threshold between buildings – Overhead (regular ceiling height) p.g. 056		– To highlight that users are changing buildings and are potentially on a different level within the new building.	– Level number – Key rooms such as lecture theatres/teaching spaces/meeting rooms/Deans office/faculty executive – General room number directional – Amenities	– Transition point between two buildings
<b>I011</b> Threshold between buildings – Overhead (low ceiling height) p.g. 058		– To highlight that users are changing buildings and are potentially on a different level within the new building. – Ceiling height 2400mm	– Level number – Key rooms such as lecture theatres/teaching spaces/meeting rooms/Deans office/faculty executive – General room number directional – Amenities	– Transition point between two buildings
<b>I012</b> Level Arrival Directional – Wall Mounted p.g. 060		– To direct users around the level they are on	– Level number – Key rooms such as lecture theatres/teaching spaces/meeting rooms/Deans office/faculty executive – General room number directional – Amenities	– On wall in level arrival area (stairs or lift lobby)

**I013**

LevelArrivalDirectionalSmall  
– Wall Mounted  
p.g. 064



- To direct users around the level they are on
- Level number
- Key rooms such as lecture theatres/teaching spaces/meeting rooms/Deans office/faculty executive
- General room number directional
- Amenities
- On wall in level arrival area

**Venue/Destination Series**

**Sign type**


**Sign use**

**Typical content**

**Location**

**I014**

Placemakingnaminggraphics  
– Wall decal  
p.g. 066




- To identify a research centre
- To be used sparingly at discretion of MQ Property

– Centre name/institution name

– Alongside door to centre entrance

**I015**

Major internal Destination/  
Venue  
– Wall Mounted  
p.g. 070



- Identify a destination/venue



– Destination/venue name  
– Direction to venue entrance optional

– On wall near entrance to venue



# SIGNAGE SELECTION GUIDE

## INTERNAL





### Reception Series

Sign type		Sign use	Typical content	Location
<b>I016</b> Reception Sign – Wall Mounted p.g. 073		– Identify primary arrival point at Faculty or School reception	– Name or logo	– On wall behind the reception desk
<b>I017</b> Reception Sign Panel – Wall Mounted p.g. 075		– To identify a faculty, research centre or other formal arrival point relevant to visitors. This sign offers a typical option for areas within the University, however for major arrival points such as the Dean's office a bespoke solution should be considered.	– Name or logo	– On wall behind the reception desk

### Information Series

Sign type		Sign use	Typical content	Location
<b>I018</b> Phone Directory – Wall Mounted p.g. 078		– Call individuals/offices	– International telephone icon – Telephone numbers of individuals/offices etc – Room/level number of individuals	– In the foyer of a building or reception area of a department or centre – Collocate with flag sign if required in corridor installation. Refer 1025
<b>I019</b> Phone Directory – interactive p.g. 080		– Detailed searches for telephone numbers of individuals/offices on interactive screen (iPad). Call individuals directly from search	– International telephone icon/building code – Room/level number of individuals	– In the foyer of a building or reception area of a department or centre



**Special Rooms Series**

Sign type		Sign use	Typical content	Location
<b>I020</b> Digital Timetable Identification p.g. 082		– To identify a theatre room, conference room, large meeting rooms, sessional staff offices – Optional LCD screen to display timetable and information	– Room number – Theatre/room name – Timetable or other room information – Braille and tactile location/operational information	– Adjacent door to the room
<b>I022</b> Timetable Identification – Wall Mounted Small p.g. 084		– To identify a lecture theatre	– Room number – Theatre name – Braille and tactile location/operational information	– Adjacent door to the room
<b>I024</b> Major Room Identification – Flag p.g. 087		– To identify a teaching room	– Room number	– Above the door to the room
<b>I025</b> Special Room Identification – Flag p.g. 091		– To identify a special room	– First Aid – Defibrillator – Phone – Kitchen	– Above the door to the room





# SIGNAGE SELECTION GUIDE

## INTERNAL



### Amenity Series

Sign type		Sign use	Typical content	Location
<b>I026</b> Amenity Identification – Wall Mounted p.g. 095		– Identify an amenity	– International symbol (male/female/accessible) – Braille and tactile type – Left and right accessible	– Adjacent/on door to the amenity
<b>I030</b> Amenity Identification – Flag p.g. 107		– Identify an amenity	– International symbol (male/female/accessible)	– Above the door to the amenity





### Room Series

Sign type		Sign use	Typical content	Location
<b>I032</b> Single Room number identification – With changeable plate p.g. 110		– Identify the room and the individual	– Room number – Faculty/department/office numbered open plan – Individuals name – Braille and tactile type – Room number	– All rooms, labs and teaching spaces – Adjacent door to the room
<b>I034</b> Internal Building Exit Sign p.g. 112		– Required adjacent egress and fire exit door	– Level Exit Signage	– Adjacent exit door
<b>I035</b> Hearing Loop Identification p.g. 113		– Identify the room has a hearing loop	– Information relevant to the use of the room	– Adjacent door to the room
<b>I036</b> Hearing Loop Identification p.g. 114		– Identify the room has a hearing loop	– Information relevant to the type of hearing loop	– Adjacent door to the room

### Glazing Series

Sign type	Sign use	Typical content	Location
<b>I041</b> Glazing Safety Decal p.g. 116		– On all glazing as required by relevant AS and BCA – Decal strip with logo	– On all glazing as required by relevant AS and BCA
<b>I042</b> Glazing brand graphic p.g. 118		– As determined by interior design / architect. – Privacy decal – MQ brand pattern	– As determined by interior design / architect.

### Miscellaneous

Sign type	Sign use	Typical content	Location
<b>I050</b> Poster and brochure display p.g. 120		– An area for printed marketing collateral to be displayed – Carrier for brochures	– At faculty discretion Note: If freestanding, this sign must be integrated with tactile ground locators as specified in AS1428.4.1 Tactile Ground Surface Indicators. Similar form construction to 1002.
<b>I051</b> Room Pin Board p.g. 121		– An area for temporary / event related information to be displayed – Information relevant to the use of the room	As required.
<b>I052</b> Poster Carrier p.g. 122		– An area for temporary / event related information to be displayed – Supplied printed content	As required.
<b>I053</b> Picture Frame p.g. 123		– Carrier for certificates and building certifications such as green star ratings etc – Supplied printed content	As required.

# SIGNAGE SELECTION GUIDE

## INSTALLED EXAMPLES

### INSTALLED INTERNAL SIGNAGE EXAMPLES





### INSTALLED INTERNAL SIGNAGE EXAMPLES



### ACCESSIBILITY

---

At the time of writing it was the University's direction to ensure that all signage implemented complies with Australian accessibility standards, codes and best practise principles. When using this guideline, you should do so with consideration to the University's current policy and relevant current Australian accessibility standards and codes.

This guideline specifies the use of tactile and Braille messaging, and the application of hearing augmentation locators (as determined by the University).

#### Design Standards

It is a mandatory requirement that all signage complies with the appropriate accessibility provisions of the following codes:

- Part D4 of the DDA Premises Standards and Specification D3.6 of the BCA 2015 (which are identical).
- DDA Transport Standard and Part H2 of the BCA 2011
- AS1428.1 (2009) – Design for Access and Mobility: General Requirements
- AS1428.2 (1992) – Design for Access and Mobility: Enhanced Requirements
- AS1428.4.1 (2009) – Tactile Ground Surface Indicators
- AS2890.1 (1993 and 2004) – Off-Street Parking
- AS2890.6 (2009) – Off-Street Parking for people with disabilities
- AS1428.5 (2010) Communication for people who are deaf or hearing impaired
- Luminance contrast of at least 80%

While the above-mentioned standards clearly define the accessibility requirements for identification signage, they are not as clear when explaining the requirements for directional signage.

When considering directional signage please consider the following 'best practice' principles.

#### Best Practice Accessibility Wayfinding

The information outlined in the BCA includes reference to "accessible wayfinding". This reasonably means the inclusion of accessible signage from the campus entrance to all accessible building entrances, unisex accessible sanitary facilities and rooms providing hearing augmentation systems.

As a minimum, the 'best practice' extent of the wayfinding system should consider:

- Wayfinding messages at campus entrances;
- Wayfinding messages at decision-making points on accessible paths of travel to accessible building entrances, which bypass stairways;
- Directory boards within buildings that identify rooms and sanitary facilities;
- Wayfinding messages at decision-making points on accessible paths of travel within buildings; and
- Wayfinding to access parking.

With respect to "best practice" signage that enables people with disabilities to navigate the built environment and access services and facilities, the Disability Discrimination Act (DDA) provides the overarching objectives and should be used as a guide when applying the system.

#### Hearing Loop

The University uses both Inductive and Infrared Hearing Loop systems within key learning spaces across the campus. AVTS loans kits out for events upon request and Disability Services assists hearing impaired students and academic staff via a loan system. Signage, as per AS, identify the location and type of system in use.

Audio components are expected to be developed separately, such as through an appropriate App.

For touch screen displays, the on screen information requires a consistent screen design that enables the screen edges to incorporate "tactile features" similar to the principle of a Braille locator on a static sign. The touch components of any screen should fall within the accessible zone. Those screens requiring touch have been identified within this guideline as being portrait in format.

For people who are auditory impaired, an interactive HELP point communication device or a tactile link to enable the user to call for assistance ie. to security has been identified within the sign family.

**ACCESSIBILITY**

**Tactile Ground Surface**

While not part of the signage system, tactile ground systems should be considered when developing a complete accessible solution. Ground surface indicators across pedestrian access ways should be considered to guide people to sign displays and a change of texture required to indicate the presence of tactile messaging. This should be looked at on a case-by-case basis.

**Accessible Zone**

Accessible text zones and permissible accessible text zones are permitted areas where tactile text and Braille should appear on any sign. This zone is identified so that messages can be read (sensed) by a person with disability sitting in a wheelchair, a visually impaired person and an ambulant user.


**Accessible Zone:**

The true accessible zone lies between 1200mm and 1600mm above the relative floor level. To accommodate for best practice principles, messaging should wherever possible be restricted to the Accessible Zone. Messaging should stack downwards from the highest possible point.

Signs with a single line of characters must have the line of tactile character not less than 1250mm and not higher than 1350mm above the floor or ground surface.

**Permissible Accessible Zone:**

In the event the it is not possible to accommodate for accessible messaging within the Accessible Zone you may extend down as low as 1000mm above the relative floor level. While the Permissible Accessible Zone is acceptable it is not the University's preference.




# DESIGN ELEMENTS

## ACCESS

### SIGN PLACEMENT

Sign types have been placed at specific distances from the floor to ensure consistency across the family, and for best placement of the braille and tactile content for accessibility compliance.

The diagram below illustrates this principle.



### FRONT ELEVATION


Scale 1:25

**TACTILE & BRAILLE**

Following are important considerations when using tactile & braille through the interior sign forms:

- Braille is visualised grey / black in drawings for illustrative purposes ONLY. All braille is to be printed to match the sign panel colour
- All braille must be Grade1 Braille in accordance with the criteria set out by the Australian Braille Authority, the Australian Standards and the BCA.
- It is the responsibility of the signage contractor to ensure all braille, pictograms and tactile text comply with forementioned standards.
- Braille text shown in drawings is NOT final copy, it has to be included for illustrative setout ONLY. Signage contractor is responsible for all braille & tactile messaging. Content to be typeset by signage contractor.

Refer to AS1428.1 and BCA D3.6 for more details.



# DESIGN ELEMENTS

## MATERIALS

### PAINT, VINYL, ACRYLIC

---



**Vinyl:**  
Avery 700 Premium  
Dark Red 767

**Print:**  
CO M100 Y82 K26  
PMS 187

**Two-pack polyurethane:**  
Dulux Red Box S04F9



**Vinyl:**  
Avery 700 Premium  
Dark Grey 759

**Print:**  
CO M0 Y0 K90  
PMS 447

**Two-pack polyurethane:**  
Dulux Ticking SG6G7



**Acrylic:**  
Perspex Frost  
Moonlight White S2 1T41

**Vinyl:**  
Avery 700 Premium  
White 900

**Two-pack polyurethane:**  
Dulux White on White  
SW1E2



**Acrylic:**  
Plexiglas GS Grau 7H32

**Vinyl:**  
Avery 700 Premium  
Pale Grey 745-01

**Print:**  
CO M10 Y0 K50

**Two-pack polyurethane:**  
Dulux Tranquil Retreat  
SN4G1



**Colour:**  
B21 Ultramarine of AS2700

**Vinyl:**  
Avery 700 Premium  
Cosmos Blue 708

**Print:**  
PMS 2945

**Two-pack polyurethane:**  
Dulux B21 Ultramarine  
of AS2700



**Colour:**  
G21 Jade of AS2700

**Print:**  
PMS 356

**Two-pack polyurethane:**  
Dulux G21 Jade of AS2700

**TIMBER**

---

The interior scheme feature timber detailing to the sign form. Typically this appears on the edges of the signs and as a laser-cut reveal through typography on larger signs.

To assist contractors the following options have been provided. Contractors should select a single approach per building. DO NOT mix and match components as the colours do vary.

Decisions on which material to use for your project should be based on availability/lead times and minimum quantity orders required.

Substitutions from options listed here require client approval.



**TIMBER VENEER**

Victorian Ash

NOTE: Not suitable for signs located adjacent to internal courtyards or areas where weather exists.



**LAMINATE  
(Interior grade)**

Supplier: Laminex

Colour: Elegant Oak 078 in Natural Finish.

Grain to be horizontal.

<http://www.laminex.com.au>



**LAMINATE  
(Exterior grade)**

Supplier: Albet Laminati  
Range: Exterior, MEG

Colour: Frassino Maggiore 1384

Sheet Thickness: 2mm  
Sheet Size: 1300x3050mm  
Minimum order: 5 sheets

[www.au.abetlaminati.com](http://www.au.abetlaminati.com)

**CLEAR COAT**

---

All Macquarie University internal signage is to have no clear coat. The objective of this approach is to avoid replacement of entire signs due to faculty or department changes.

Where clear coat is recommended by a signage contractor to be installed, approval must be sought from Macquarie University Property prior to installation.

### PICTOGRAMS

---

There are three important considerations when using icons:

- Pictograms are only effective in conveying limited kinds of simple messages
- Pictograms are most effective if they are integrated as part of a cohesive total signage system
- It is more harmful to over sign than to under sign, and this is especially so with pictograms: too many cause confusion.

For consistency sake, we recommend using the international standards for pictograms ISO 7001 Public information symbols, established by the International Council of Graphic Design Associations. The only exception being the bicycle hub pictogram which at the time of writing had an amended symbol.

For full family and artwork of all icons, signage consultants and others will be required to reference:

[http://www.iso.org/iso/catalogue\\_detail?csnumber=41081](http://www.iso.org/iso/catalogue_detail?csnumber=41081)

ISO 7001:2007 specifies graphical symbols for the purposes of public information. It is generally applicable to public information symbols in all locations and all sectors where the public has access.

ISO 7001:2007 specifies the symbol originals that may be scaled for reproduction and application purposes. The symbols may be used in conjunction with text to improve comprehension.



PICTOGRAMS INTERNATIONAL: EXAMPLES



Lift



Escalators



Stairs



Phone



Walking



Female Toilets



Male Toilets



Male & Female Toilets



Unisex Toilets



Bike



Shower



Parents Room



CCTV



Information



Train



Accessible



Accessible  
(white key line required  
on dark background)



Unisex Accessible Toilets



Hearing Impaired



Café



Bus



No Mobile Phones



No Eating  
or Drinking



No Smoking



Wi Fi



**Interior Signage  
Design Intent Drawings**

# ENTRY SERIES

## INTERNAL SIGNS

1001

### BUILDING ENTRANCE DOOR (GLAZING AND PANEL)

Sheet 1 of 3

Colour:  
MQ Charcoal or MQ White

Note: Ensure sign colour provides required luminance contrast from wall/glass surface (minimum 30% contrast)

Typeface:  
National Bold

Material:  
External grade self adhesive vinyl.

Construction Details:  
N/A


Fixing:  
Applied directly to inside face of glazing.

Graphic Application:

Text: Vinyl  
Graphic Details:  
N/A

Special Inclusions:  
N/A

Size Notes:  
Indicative size only. Size to be adjusted to suit specific location.



Building/door entrance number.  
Vinyl applied to surface (white or charcoal).  
Ensure colour of lettering provides a sufficient amount of contrast (minimum of 30% contrast).

### FRONT ELEVATION

Scale 1:20

**1001**

**BUILDING ENTRANCE DOOR (GLAZING AND PANEL)**

Sheet 2 of 3

Colour:  
Tactile Text: MQ Charcoal  
Braille: White (to match panel)  
Sign form: MQ White

Typeface:  
Tactile Text: National Regular

Material:  
Aluminium two-pack polyurethane panel.

Construction Details:  
N/A


Fixing:  
Permanent concealed fixings.

Graphic Application:  
Text: Vinyl letting  
Braille: 3D Digital Print

Graphic Details:  
N/A

Special Inclusions:  
N/A

Size Notes:  
N/A



**FRONT ELEVATION**

Scale 1:20


# ENTRY SERIES

## INTERNAL SIGNS

1001

### BUILDING ENTRANCE DOOR (GLAZING AND PANEL)

Sheet 3 of 3



### GRAPHIC DETAILS

Scale 1:2

1002

### EXTRA LARGE DIRECTORY - FREESTANDING

Sheet 1 of 4

Colour:  
Building address: reveal to timber  
Building name: reveal to timber  
Body text / tactile text:  
MQ Charcoal & MQ Red (for the level the directory is on)  
Braille: MQ White (to match sign form)  
Pictograms: MQ Charcoal & MQ Blue  
Dividing lines: MQ Light Grey & MQ Red (for the level the directory is on)  
Sign form: MQ White, Matte

Typeface:  
Building name / number: National Bold  
Body text / tactile text: National Regular

Material:  
Aluminum two-pack polyurethane to all exposed surfaces.  
Sides: timber detail.  
No clear coat

Construction details:  
For an example of typical construction method refer to Section 08  
Note: side profile to be as slim as possible whilst still ensuring structural integrity and accounting for given technology requirements. This sign should be integrated with tactile ground surface indicators in accordance with AS 1428.41 and part h2 of the BCA.

Building name / number: building number & name to be laser cut into aluminum two-pack polyurethane front face to reveal timber.


Fixing:  
Concealed structural footing, as required to permanently support the signform. To be concealed below the FGL. New finished surround to align with existing finished ground plane and match existing surface, TGI's as required at base.

Graphic application:  
Text: Vinyl letting, above clear coat  
Tactile text / braille: 3D digital print

Graphic details:  
Dividing line: 3mm thick

Special inclusions:  
LCD 32" recessed screen showing interactive building map. 1250mm maximum height for touch screen controls. Access to wiring needed. Solid aluminum cover to be provided if digital screens not able to be added at time of construction.

Size notes:  
N/a



### ELEVATIONS

Scale 1:20


# DIRECTORY SERIES

## INTERNAL SIGNS

1002

### EXTRA LARGE DIRECTORY - FREESTANDING

Sheet 2 of 4



### ELEVATIONS

Scale 1:20




1002

**EXTRA LARGE DIRECTORY - FREESTANDING**

Sheet 3 of 4

DIRECTORY LAYOUT (8 LEVELS)



**GRAPHIC DETAILS**

Scale 1:10

# DIRECTORY SERIES


## INTERNAL SIGNS

1002

### EXTRA LARGE DIRECTORY - FREESTANDING

Sheet 4 of 4

DIRECTORY LAYOUT (4 LEVELS) WITH BUILDING NAME



### GRAPHIC DETAILS

Scale 1:10

**1003 EXTRA LARGE DIRECTORY - WALL MOUNTED**  
Sheet 1 of 6


**Colour:**  
Building name / number: Reveal to Timber  
Body Text / Tactile Text: MQ Charcoal & MQ Red (for the level the directory is on)  
Braille: MQ White (to match sign form)  
Dividing Lines: MQ Light Grey & MQ Red (for the level the directory is on)  
Pictograms: MQ Charcoal & MQ Blue  
Sign form: MQ White, Matte

**Typeface:**  
Building name / number: National Bold  
Body Text / Tactile Text: National Regular  
**Material:**  
Aluminum two-pack polyurethane to all exposed surfaces.  
**Sides:** Timber detail. No clear coat  
**Fixing:**  
Concealed secure fixings to base building.

**Graphic Application:**  
Text: Vinyl letting, above clear coat  
Tactile Text / Braille: 3D Digital Print  
**Special Inclusions:**  
LCD 32" recessed screen showing interactive building map. 1250mm maximum height for touch screen controls. Power/data required. Solid aluminum cover to be provided if digital screens not to be added at time of construction.

**Size Notes:**  
N/A

**Graphic Details:**  
Dividing Line: 3mm thick  
**Construction Details:**  
For an example of typical construction method refer to Section 08  
Building name / number: Building number laser cut into aluminum two-pack polyurethane front facade to reveal timber.  
**Note:** Side profile to be as slim as possible whilst still ensuring structural integrity and integration of technology requirements. This sign should be integrated with tactile ground surface indicators in accordance with AS 1428.41 and Part H2 of the BCA.



**ELEVATIONS**

Scale 1:20


# DIRECTORY SERIES

## INTERNAL SIGNS

1003

### EXTRA LARGE DIRECTORY - WALL MOUNTED

Sheet 2 of 6




### ELEVATIONS

Scale 1:20

**1003** EXTRA LARGE DIRECTORY - WALL MOUNTED  
Sheet 3 of 6

DIRECTORY LAYOUT (8 LEVELS)



**GRAPHIC DETAILS**

Scale 1:10

# DIRECTORY SERIES


## INTERNAL SIGNS

1003

### EXTRA LARGE DIRECTORY - WALL MOUNTED

Sheet 4 of 6

DIRECTORY LAYOUT (4 LEVELS) WITH BUILDING NAME



### GRAPHIC DETAIL

Scale 1:10

**1003**

**EXTRA LARGE DIRECTORY - WALL MOUNTED**

Sheet 5 of 6

**DIRECTORY WITH BUILDING NAME**

**FRONT**


Building number laser cut into aluminium two-pack polyurethane facade to reveal Victorian Ash timber.

1260

525

**1 University Avenue**

Building Name Goes Here



<b>Level 3 - You Are Here</b>	
00000	Museum of Ancient Cultures
00000	Australian Centre for Ancient
00000	Numismatic Studies
00000	IC School of Department
<b>#H</b>	<b>#</b>
<b>Level 2</b>	
00000	Early Child Road Safety
00000	Education Program
00000	IC Music Room
00000	Health Teaching Rooms
<b>#H</b>	<b>#</b>
<b>Level 1</b>	
00000	IC Drama and Movement Room
00000	Early Child Road Safety
00000	Education Program
00000	Teaching Rooms
<b>#H</b>	<b>#</b>
<b>Ground</b>	
00000	IC Drama and Movement Room
00000	Resource Development
00000	Teaching Rooms
<b>#H</b>	<b>#</b>

University Avenue Level 1  
For help call 0000 0000

Braille (white) and tactile (charcoal).

2060

697

1050

**SIDE**

140 (NOM)



LCD 32" recessed screen showing building map. Access to wiring needed. Solid aluminum cover to be provided if digital screens not able to be added at time of construction.

Aluminium two-pack polyurethane facade. Vinyl messaging applied.

Victorian Ash timber detail. Concealed fixtures.

Scale 1:20

# DIRECTORY SERIES


## INTERNAL SIGNS

1003

### EXTRA LARGE DIRECTORY - WALL MOUNTED

Sheet 6 of 6

DIRECTORY LAYOUT (4 LEVELS) WITH BUILDING NAME



### GRAPHIC DETAILS

Scale 1:10




**1004** **LARGE DIRECTORY - WALL MOUNTED**  
Sheet 1 of 3

Colour:  
Building name / number: Reveal to Timber  
Body Text / Tactile Text: MQ Charcoal & MQ Red (for the level the directory is on)  
Braille: MQ White (to match sign form)  
Dividing Lines: MQ Light Grey & MQ Red (for the level the directory is on)  
Pictograms: MQ Charcoal & MQ Blue  
Sign form: MQ White, Matte

Typeface:  
Building name / number: National Bold  
Body Text / Tactile Text: National Regular  
Material:  
Aluminum two-pack polyurethane to all exposed surfaces.  
Sides: Timber detail.  
Construction Details:  
No clear coat

For an example of typical construction method refer to Section 08  
Building name / number: Building number laser cut into aluminum two-pack polyurethane front facade to reveal timber.  
Fixing:  
Concealed secure fixings to base building.  
Graphic Application:  
Text: Vinyl letting, above clear coat

Tactile Text/Braille: 3D Digital Print  
Graphic Details:  
Dividing Line: 3mm thick  
Special Inclusions:  
N/A  
Size Notes:  
N/A



**ELEVATIONS**

Scale 1:15

# DIRECTORY SERIES


## INTERNAL SIGNS

1004

### LARGE DIRECTORY - WALL MOUNTED

Sheet 2 of 3

#### DIRECTORY LAYOUT (8 LEVELS)



#### GRAPHIC DETAILS


Scale 1:10

**1004**

**LARGE DIRECTORY - WALL MOUNTED**

Sheet 3 of 3

DIRECTORY LAYOUT (4 LEVELS)



**GRAPHIC DETAILS**

Scale 1:10

# DIRECTORY SERIES

## INTERNAL SIGNS

1005

### MEDIUM DIRECTORY

Sheet 1 of 2

Colour:  
Level Number: Reveal to Timber  
Body Text / Tactile Text:  
MQ Charcoal  
Braille: MQ White (to match sign form)  
Pictograms: MQ Charcoal & MQ Blue  
Sign form: MQ White, Matte

Typeface:  
Level number: National Bold  
Body Text/Tactile Text: National Regular

Material:  
Aluminium two-pack polyurethane to all exposed surfaces.  
Sides: Timber detail.  
Construction Details:  
No clear coat

Level number: Building number laser cut into aluminium two-pack polyurethane front face to reveal timber.


Fixing:  
Concealed secure fixings to base building.

Graphic Application:  
Text: Vinyl letting, above clear coat  
Tactile Text/Braille: 3D Digital Print

Graphic Details:  
N/A

Special Inclusions:  
N/A

Size Notes:  
N/A



### FRONT ELEVATION


Scale 1: 20

1005

MEDIUM DIRECTORY

Sheet 2 of 2

DIRECTORY LAYOUT



FRONT ELEVATION

Scale 1: 10

# DIRECTORY SERIES

## INTERNAL SIGNS

1006

### SMALL DIRECTORY (LIMITED USE)

Sheet 1 of 2

Colour: Level Number: Reveal to Timber Body Text / Tactile Text: MQ Charcoal Braille: MQ White (to match sign form) Pictograms: MQ Charcoal & MQ Blue Sign form: MQ White, Matte	Typeface: Level Number: National Bold Body Text / Tactile Text: National Regular  Material: Aluminium two-pack polyurethane to all exposed surfaces. Sides: Timber detail. No clear coat	Level number: Building number laser cut into aluminium two-pack polyurethane front face to reveal timber.  Fixing: Concealed secure fixings to base building.  Graphic Application: Text: Vinyl letting, above clear coat Tactile Text/Braille: 3D Digital Print	Graphic Details: N/A  Special Inclusions: N/A  Size Notes: N/A
	Construction Details:		




### FRONT ELEVATION

Scale 1: 15

1006

SMALL DIRECTORY (LIMITED USE)

Sheet 2 of 2



FRONT ELEVATION

Scale 1: 5

# DIRECTORY SERIES

## INTERNAL SIGNS

1007

### LIFT INTERNAL DIRECTORY

Sheet 1 of 4

Colour:  
Level Number: Reveal to Timber  
Body Text / Tactile Text:  
MQ Charcoal  
Braille: MQ White (to match sign form)  
Dividing Lines: MQ Charcoal  
Pictograms: MQ Charcoal & MQ Blue  
Sign form: MQ White, Matte

Typeface:  
Level Number: National Bold  
Body Text: National Regular  
Material:  
1.6mm aluminum two-pack polyurethane to all exposed surfaces.  
No clear coat

Construction Details:  
N/A

Fixing:  
Concealed secure fixings to base building.

Graphic Application:  
Text: Digital print  
TactileText/Braille:3DDigital Print


Graphic Details:

Dividing Line: 1mm thick

Special Inclusions:  
N/A

Size Notes:  
N/A

#### PRIMARY PANEL (4 LEVELS)



#### FRONT ELEVATION

Scale 1:15




**1007**

**LIFT INTERNAL DIRECTORY**

Sheet 2 of 4

PRIMARY AND SECONDARY PANEL (8 LEVELS)



**FRONT ELEVATION**

Scale 1:15

# DIRECTORY SERIES

## INTERNAL SIGNS

1007


### LIFT INTERNAL DIRECTORY

Sheet 3 of 4

PRIMARY PANEL

SECONDARY PANEL

A second panel can be added to hold more information if required.



### GRAPHIC DETAILS


Scale 1:4

**1007**

**LIFT INTERNAL DIRECTORY**

Sheet 4 of 4

**PRIMARY PANEL**



**GRAPHIC DETAILS**

Scale 1: 4

# DIRECTIONAL SERIES

## INTERNAL SIGNS

1008

### LEVEL ARRIVAL DIRECTIONAL - OVERHEAD (REGULAR CEILING HEIGHT)

Sheet 1 of 4

Colour:  
Level Number: Reveal to Timber  
Text: MQ Charcoal  
Pictograms: MQ Charcoal &  
MQ Blue  
Sign form: MQ White, Matte

Typeface:  
Level Number: National Bold  
Text: National Regular

Material:  
Aluminium two-pack polyurethane  
to all exposed surfaces, including  
hanging rods.  
Sides: Timber detail.

Construction Details:  
Level number: Building number  
laser cut into aluminium two-pack  
polyurethane front face to reveal  
timber.  
No clear coat

Fixing:  
Concealed secure fixings to base  
building via circular threaded rods,  
minimum diameter required.  
Internal aluminium 'C' fixing  
between threaded rod and sign  
form. Make good ceiling finish at  
junction. Connect to base building  
structure in ceiling void.  
Graphic Application:

Text: Vinyl letting, above clear  
coat  
Tactile Text/Braille: 3D Digital  
Print


Graphic Details:  
N/A

Special Inclusions:  
N/A

Size Notes:  
N/A

FRONT

SIDE




### ELEVATIONS

Scale 1:20

**1008**

**LEVEL ARRIVAL DIRECTIONAL - OVERHEAD (REGULAR CEILING HEIGHT)**

Sheet 2 of 4



**ELEVATIONS**

Scale 1:20


# DIRECTIONAL SERIES

## INTERNAL SIGNS

1008

### LEVEL ARRIVAL DIRECTIONAL - OVERHEAD (REGULAR CEILING HEIGHT)

Sheet 3 of 4



SIDE A and SIDE C

SIDE B and SIDE D




### ELEVATIONS

Scale 1:20

**I008**

**LEVEL ARRIVAL DIRECTIONAL - OVERHEAD (REGULAR CEILING HEIGHT)**

Sheet 4 of 4



**GRAPHIC DETAIL**

Scale 1:10

# DIRECTIONAL SERIES

## INTERNAL SIGNS

1009

### LEVEL ARRIVAL DIRECTIONAL - OVERHEAD (LOW CEILING HEIGHT)

Sheet 1 of 2

Colour:  
Level Number: Reveal to Timber  
Text: MQ Charcoal  
Pictograms: MQ Charcoal & MQ Blue  
Sign form: MQ White, Matte

Typeface:  
Level Number: National Bold  
Text: National Regular

Material:  
Aluminium two-pack polyurethane to all exposed surfaces.  
Sides: Timber detail.  
No clear coat

Construction Details:  
Level number: Building number laser cut into aluminium two-pack polyurethane front face to reveal timber.  
Fixing:

Concealed secure fixings direct to ceiling/slab via metal angle section in sign box. Install and fix sign face following structural connection.


Graphic Application:  
Text: Vinyl lettering, above clear coat  
Tactile Text/Braille: 3D Digital Print  
Graphic Details:  
N/A

Special Inclusions:  
N/A

Size Notes:  
N/A

FRONT

SIDE



### ELEVATION


Scale 1:20





**LEVEL ARRIVAL DIRECTIONAL - OVERHEAD (LOW CEILING HEIGHT)**

Sheet 2 of 2



**GRAPHIC DETAIL**

Scale 1: 10

# DIRECTIONAL SERIES

## INTERNAL SIGNS

I010

### THRESHOLD DIRECTIONAL - OVERHEAD (REGULAR CEILING HEIGHT)

Sheet 1 of 2

Colour:  
Level Number: Reveal to Timber  
Text: MQ Charcoal  
Pictograms: MQ Charcoal & MQ Blue  
Sign form: MQ White, Matte

Typeface:  
Level Number: National Bold  
Text: National Regular

Material:  
Aluminum two-pack polyurethane to all exposed surfaces, including hanging rods.  
Sides: Timber detail.  
No clear coat

Construction Details:  
Level number: Building number laser cut into aluminum two-pack polyurethane facade to reveal timber.

Fixing:  
Concealed secure fixings to base building via circular threaded rods, minimum diameter required.  
Internal aluminum 'C' fixing between threaded rod and sign form. Make good ceiling finish at junction. Connect to base building structure in ceiling void.  
Graphic Application:

Text: Vinyl letting, above clear coat  
Tactile Text/Braille: 3D Digital Print


Graphic Details:  
N/A

Special Inclusions:  
N/A

Size Notes:  
N/A

FRONT

SIDE





### ELEVATION

Scale 1: 20



**THRESHOLD DIRECTIONAL - OVERHEAD (REGULAR CEILING HEIGHT)**

Sheet 2 of 2



**GRAPHIC DETAIL**

Scale 1: 10

# DIRECTIONAL SERIES

## INTERNAL SIGNS

I011

### THRESHOLD DIRECTIONAL - OVERHEAD (LOW CEILING HEIGHT)

Sheet 1 of 2

Colour:  
Level Number: Reveal to Timber  
Text: MQ Charcoal  
Pictograms: MQ Charcoal &  
MQ Blue  
Sign form: MQ White, Matte

Typeface:  
Level Number: National Bold  
Text: National Regular

Material:  
Aluminium two-pack  
polyurethane to all exposed  
surfaces.  
Sides: Timber detail.  
No clear coat

Construction Details:  
Level number: Building number  
laser cut into aluminium two-pack  
polyurethane front face to reveal  
timber.


Fixing: Concealed secure fixings  
direct to ceiling/slab via metal  
angle section in sign box. Install  
and fix sign face following  
structural connection.

Graphic Application:  
Text: Vinyl Lettering  
Tactile Text/Braille: 3D Digital  
Print

Graphic Details:  
N/A

Special Inclusions:  
N/A

Size Notes:  
N/A





### ELEVATION

Scale 1: 20



**THRESHOLD DIRECTIONAL - OVERHEAD (LOW CEILING HEIGHT)**

Sheet 2 of 2



**GRAPHIC DETAIL**

Scale 1: 10

# DIRECTIONAL SERIES

## INTERNAL SIGNS

I012

### LEVEL/BUILDING ARRIVAL DIRECTIONAL - WALL MOUNTED

Sheet 1 of 4

Colour:  
Level Number/Address: Reveal to Timber  
Body Text / Tactile Text:  
MQ Charcoal  
Braille: MQ White (to match sign form)  
Pictograms: MQ Charcoal & MQ Blue  
Sign form: MQ White, Matte

Typeface:  
Level number/Address: National Bold  
Body Text / Tactile Text: National Regular

Material:  
Aluminium two-pack polyurethane to all exposed surfaces.  
Sides: Timber detail.  
No clear coat

Construction Details: For an example of typical construction method refer to Section 08  
Level Number: Building number laser cut into aluminium two-pack polyurethane front face to reveal timber.


Fixing:  
Concealed secure fixings to base building.  
Graphic Application:

Text: Vinyl letting, above clear coat  
Tactile Text/Braille: 3DDigital Print

Graphic Details:  
N/A

Special Inclusions:  
N/A

Size Notes:  
N/A



### ELEVATIONS


Scale 1:15

**I012**

**LEVEL/BUILDING ARRIVAL DIRECTIONAL - WALL MOUNTED**

Sheet 2 of 4

PRIMARY PANEL/LEVEL NUMBER



**GRAPHIC DETAILS**

Scale 1:10


# DIRECTIONAL SERIES

## INTERNAL SIGNS

I012

### LEVEL/BUILDING ARRIVAL DIRECTIONAL - WALL MOUNTED

Sheet 3 of 4



Building address laser cut into aluminium two-pack polyurethane facade to reveal Victorian Ash timber.

### GRAPHIC DETAILS

Scale 110




**I012**

**LEVEL/BUILDING ARRIVAL DIRECTIONAL - WALL MOUNTED**

Sheet 4 of 4

**PRIMARY PANEL**  
Either level number or  
building address

**SECONDARY PANEL**  
second panel can be added to  
hold more information if required.



**GRAPHIC DETAILS**

Scale 1:10

# DIRECTIONAL SERIES


## INTERNAL SIGNS

I013

### SMALL LEVEL ARRIVAL DIRECTIONAL - WALL MOUNTED

Sheet 1 of 2

Colour: Building Number: Reveal to Timber Body Text / Tactile Text: MQ Charcoal Braille: MQ White (to match sign form) Pictograms: MQ Charcoal & MQ Blue Sign form: MQ White, Matte	Level number: National Bold Body Text / Tactile Text: National Regular Material: Aluminium two-pack polyurethane to all exposed surfaces. Sides: Timber detail. No clear coat	construction method refer to Section 08 Level Number: Building number laser cut into aluminium two-pack polyurethane front face to reveal timber. Fixing: Concealed secure fixings to base building. Graphic Application: Text: Vinyl Lettering, above clear coat	Tactile Text/Braille: 3D Digital Print Graphic Details: N/A Special Inclusions: N/A Size Notes: N/A
Typeface:	Construction Details: For an example of typical		



### ELEVATIONS

Scale 1:15

**I013**

**SMALL LEVEL ARRIVAL DIRECTIONAL - WALL MOUNTED**

Sheet 2 of 2



**GRAPHIC DETAILS**

Scale 1:5

# VENUE/DESTINATION SERIES


## INTERNAL SIGNS

I014

### PLACEMAKING NAMING GRAPHICS

Sheet 1 of 5


Colour: Destination/venue name or logo: MQ Light Grey Note: Ensure sign colour provides required luminance contrast from wall/glass surface.	Typeface: Destination/venue name: National Regular Material: External grade self adhesive vinyl Construction Details: N/A	Fixing: Applied directly to wall/glass surface. Graphic Application: Destination/venue name or logo: Vinyl	Graphic Details: N/A Special Inclusions: N/A Size Notes: Messaging / Logos to be centered using zone guides.
---	--	--	---



### FRONT ELEVATION

Scale 1:20

**I014** PLACEMAKING NAMING GRAPHICS  
Sheet 2 of 5



**GRAPHIC DETAILS**

Scale 1:10


# VENUE/DESTINATION SERIES

## INTERNAL SIGNS

I014

### TENANT ENTRANCE – INTERNAL

Sheet 3 of 5




### GRAPHIC DETAILS

Scale 1: 10

I014

**SPEECH AND HEARING CLINIC ENTRANCE - INTERNAL**

Sheet 4 of 5



**FRONT ELEVATION**

Scale 1: 20

# VENUE/DESTINATION SERIES

## INTERNAL SIGNS

I014

### SPEECH AND HEARING CLINIC ENTRANCE - INTERNAL

Sheet 5 of 5

Speech &  
Hearing  
Clinic

Vinyl messaging applied  
Colour: MQ Light Grey

### FRONT ELEVATION

Scale 1: 20



**I015**

**MAJOR INTERNAL DESTINATION/VENUE**

Sheet 1 of 2

Colour:  
Front face: MQ White, Matte  
Sides: Timber

Typeface:  
Majorinternaldestination:National  
Bold

Material:  
Front face: Laser cut aluminium  
two-pack polyurethane to all  
exposed surfaces.  
Sides: Timber

Construction Details:  
N/A


Fixing:  
Conceal secure pin fixed to base  
building.

Graphic Application:  
N/A

Graphic Details:  
N/A

Special Inclusions:  
N/A

Size Notes:  
N/A



**ELEVATIONS**

Scale 1:20


# VENUE/DESTINATION SERIES

## INTERNAL SIGNS

I015

### MAJOR INTERNAL DESTINATION/VENUE

Sheet 2 of 2




Theatre 1

200

82

A graphic detail of a sign for 'Theatre 1'. The text is rendered in a large, white, outlined, sans-serif font. The entire sign is enclosed within a dashed red rectangular border. A vertical dimension line on the left side indicates a height of 200 units. A horizontal dimension line above the number '1' indicates a width of 82 units.



Price Theatre

200

A graphic detail of a sign for 'Price Theatre'. The text is rendered in a large, white, outlined, sans-serif font. The entire sign is enclosed within a dashed red rectangular border. A vertical dimension line on the left side indicates a height of 200 units.

### GRAPHIC DETAIL


Scale 1:10

**I016**

**RECEPTION SIGN**

Sheet 1 of 2


Colour: Front face: Natural Anodised Aluminum Sides: Natural Anodised Aluminum	Laser cut aluminum  Construction Details: Solid aluminum laser cut forms	Design intent is for name to be illustrated as a single line of text where possible. Proportion as per recommendations.	Minimum recommended height 75mm to be 5mm thick and spaced 2.5mm off wall. Maximum recommended height 200mm to be 10mm thick and spaced 5mm off wall.
Typeface: Reception sign: National Bold	Fixing: Conceal secure pin fixed to base building.	Special Inclusions: Proportion name to suit available space behind reception desk and length of name.	
Material:	Graphic Application: N/A Graphic Details:	Size Notes:	



**ELEVATIONS**

Scale 1:20

Faculty of



Minimum recommended text height illustrated.  
Laser cut aluminium natural anodised finish, all external surfaces.  
Concealed pin-fixed.

Faculty of  
Business and  
Economics



Minimum recommended text height illustrated. Proportion text height to setout illustrated when increasing the size of font for multiple line locations.  
Laser cut aluminium natural anodised finish, all external surfaces.  
Concealed pin-fixed.

### GRAPHIC DETAIL

Scale 1:5

I017

### RECEPTION LOGO PANEL

Sheet 1 of 3

Colour:  
Logo: As supplied by Faculty/  
School/client  
Sign form: MQ White, Matte

Typeface:  
N/A

Material:  
Aluminium two-pack polyurethane  
to all exposed surfaces.  
Sides: Timber

Construction Details:  
For an example of typical  
construction method refer to  
Section 08  
No clear coat

Fixing: Concealed secure fixings  
to base building.


Graphic Application:  
N/A

Graphic Details:  
N/A

Special Inclusions:

N/A

Size Notes:  
N/A



### FRONT ELEVATION

Scale 1: 20


# RECEPTION SIGN SERIES

## INTERNAL SIGNS

I017

### RECEPTION LOGO PANEL

Sheet 2 of 3



### FRONT ELEVATION

Scale 1: 10

**1017** **RECEPTION LOGO PANEL**  
Sheet 3 of 3

Examples shown below:



# INFORMATION SERIES


## INTERNAL SIGNS

I018

### PHONE DIRECTORY

Sheet 1 of 2

Colour: Phone Pictogram: Reveal to Timber Sign form: MQ White, Matte	Aluminum two-pack polyurethane to all exposed surfaces. Sides: Timber	reveal timber.	Special Inclusions: Fame edged clear acrylic sliding panel. Printed A3 directory insert.
Typeface: N/A	Construction Details: For an example of typical construction method refer to Section 08	Fixing: Concealed secure fixings to base building.	Size Notes: N/A
Material:	Pictogram: laser cut into aluminum two-pack polyurethane front facade to	Graphic Application: N/A Graphic Details: N/A	



### FRONT ELEVATION


Scale 1: 15



**I018**

**PHONE DIRECTORY**

Sheet 2 of 2



**GRAPHIC DETAILS**

Scale 1:5

# INFORMATION SERIES

## INTERNAL SIGNS

I019

### PHONE DIRECTORY - INTERACTIVE

Sheet 1 of 2

Colour:  
Phone Pictogram: Reveal to Timber  
Sign form: MQ White, Matte

Typeface:  
N/A

Material:  
Aluminum two-pack polyurethane to all exposed surfaces.  
Sides: Timber

Construction Details:  
For an example of typical construction method refer to Section 08  
Pictogram: laser cut into aluminum two-pack polyurethane front facade to reveal timber.


Fixing:  
Concealed secure fixings to base building.

Graphic Application:  
N/A  
Graphic Details:  
N/A

Special Inclusions:  
Audio outlet.  
Recessed screen with digital name directory. Touch dial pad can call rooms or send an email. Solid aluminum cover to be provided if

digital screens not available at time of construction.

Size Notes:  
N/A




### ELEVATIONS

Scale 1:15

**I019**

**PHONE DIRECTORY - INTERACTIVE**

Sheet 2 of 2



**GRAPHIC DETAILS**

Scale 1:5

# SPECIAL ROOM SERIES

## INTERNAL SIGNS

1020

### DIGITAL TIMETABLE IDENTIFICATION

Sheet 1 of 2

Colour:  
Room Number: Reveal to Timber  
Room Name, Disclaimer / Tactile  
Text: MQ Charcoal  
Braille: MQ White (to match sign  
form)  
Sign form: MQ White, Matte

Typeface:  
Room number: National Bold  
Room name, disclaimer & tactile  
text: National Regular

Material:  
Aluminium two-pack  
polyurethane to all exposed  
surfaces.  
Sides: Timber detail.  
No clear coat

Construction Details:  
For an example of typical  
construction method refer to  
Section 08  
Room Number: number laser cut  
into aluminium two-pack  
polyurethane front face to reveal  
timber.

Note: Side profile to be as slim  
as possible whilst still ensuring  
structural integrity and accounting  
for given special inclusion  
requirements.

Fixing:  
Concealed fixings.

Graphic Application:  
Text: Vinyl letting, above clear  
coat  
Tactile Text/Braille: 3D Digital  
Print

Graphic Details:  
N/A

Special Inclusions:  
Recessed screen with timetable.  
Touch dial pad can call rooms or  
send an email. Solid aluminium  
cover to be provided if digital  
screens not available at time of  
construction.


Note: Contact Macquarie  
University Property for the  
latest signage type and size.

FRONT

SIDE

TOP

Building/room number laser cut into  
aluminium two-pack polyurethane facade  
to reveal Victorian Ash timber.  
Room name: Vinyl Print




### ELEVATIONS

Scale 1:15



DIGITAL TIMETABLE IDENTIFICATION

Sheet 2 of 2



**Note:**  
For detailed drawings contact Macquarie University Property.

GRAPHIC DETAILS

Scale 1:5

# SPECIAL ROOM SERIES

## INTERNAL SIGNS

1022

### TIMETABLE IDENTIFICATION - WALL MOUNTED SMALL

Sheet 1 of 3

Colour:  
Room number: Reveal to Timber  
Room name, disclaimer / tactile  
text: MQ Charcoal  
Braille: MQ White (to match sign  
form)  
Sign form: MQ White, Matte

Typeface:  
Room number: National Bold  
Room name, disclaimer & tactile  
text: National Regular

Material:  
Aluminum two-pack  
polyurethane to all exposed  
surfaces.  
Sides: Timber detail.  
No clear coat

Construction Details:  
For an example of typical  
construction method refer to  
Section 08  
Room Number: number laser cut  
into aluminum two-pack  
polyurethane front face to reveal  
timber.

Fixing:  
Concealed secure fixings to base  
building.


Graphic Application:  
Text: Vinyl lettering, above clear  
coat  
Tactile Text/Braille: 3D Digital Print  
Graphic Details:  
N/A

Special Inclusions:  
N/A

Size Notes:  
N/A

FRONT

SIDE




### ELEVATIONS

Scale 1:15



TIMETABLE IDENTIFICATION - WALL MOUNTED SMALL

Sheet 2 of 3



GRAPHIC DETAILS

Scale 1:5


# SPECIAL ROOM SERIES

## INTERNAL SIGNS

1022

### TIMETABLE IDENTIFICATION - WALL MOUNTED SMALL

Sheet 3 of 3



### FRONT ELEVATION - DIGITAL SCREEN SET OUT

Scale 1: 15



**1024** **TIMETABLE IDENTIFICATION – FLAG**  
Sheet 1 of 4

Colour:  
Room number: Reveal to Timber  
Room name: MQ Charcoal  
Sign form: MQ White, Matte

Typeface:  
Room number: National Bold  
Room name: National Regular

Material:  
Aluminum two-pack polyurethane to all exposed surfaces.  
Sides: Timber detail.  
No clear coat

Construction Details:  
For an example of typical construction method refer to Section 08  
Room number: number laser

cut into aluminum two-pack polyurethane front face to reveal timber.

Fixing:  
Concealed secure fixings direct to wall via metal angle section in sign box. Install and fix sign face following structural connection.


Graphic Application:

Text: Vinyl lettering

Graphic Details:  
N/A

Special Inclusions:  
N/A

Size Notes:  
N/A



**ELEVATIONS**

Scale 1:20


# SPECIAL ROOM SERIES

## INTERNAL SIGNS

1024

### TIMETABLE IDENTIFICATION - FLAG

Sheet 2 of 4





### ELEVATIONS

Scale 1:10



**TIMETABLE IDENTIFICATION - FLAG**

Sheet 3 of 4



**GRAPHIC DETAILS**

Scale 1:5



# SPECIAL ROOM SERIES

## INTERNAL SIGNS

I024

### TIMETABLE IDENTIFICATION - FLAG

Sheet 4 of 4



### GRAPHIC DETAILS

Scale 1: 5

**I025**

**SPECIAL ROOM FLAG SIGN**

Sheet 1 of 4

**A**

KITCHEN



**B**

PHONE



**C**

LIFT



**D**

FIRST AID



**E**

DEFIBRILLATOR



**FRONT ELEVATION**

Scale 1: 10

# SPECIAL ROOM SERIES

## INTERNAL SIGNS


1025

### SPECIAL ROOM FLAG SIGN

Sheet 2 of 4

Colour: Room number: Reveal to Timber Room name: MQ Charcoal Sign form: MQ White , Matte or First Aid Green	Material: Aluminum two-pack polyurethane to all exposed surfaces. Sides: Timber detail. Construction Details: For an example of typical construction method refer to Section 08 Room number: number laser	cut into aluminum two-pack polyurethane facade to reveal timber.  Fixing: Concealed secure fixings direct to wall via metal angle section in sign box. Install and fix sign face following structural connection.	Text: Digital Print  Graphic Details: N/A  Special Inclusions: N/A  Size Notes: N/A
---	---	---	--

Graphic Application:




### FRONT ELEVATION

Scale 1: 20



**SPECIAL ROOM FLAG SIGN**

Sheet 3 of 4



**FRONT ELEVATION**

Scale 1: 10








# SPECIAL ROOM SERIES

## INTERNAL SIGNS

1025

### SPECIAL ROOM FLAG SIGN

Sheet 4 of 4



















### FRONT ELEVATION

Scale 1: 5



**I026** **AMENITY IDENTIFICATION**  
Sheet 1 of 11

<b>A</b>	 <b>Male Toilet</b> <small>AMENITY IDENTIFICATION</small>	 <b>Male Toilet</b> <small>AMENITY IDENTIFICATION</small>
<b>B</b>	 <b>Male Ambulant Toilet</b> <small>AMENITY IDENTIFICATION</small>	 <b>Male Ambulant Toilet</b> <small>AMENITY IDENTIFICATION</small>
<b>C</b>	 <b>Female Toilet</b> <small>AMENITY IDENTIFICATION</small>	 <b>Female Toilet</b> <small>AMENITY IDENTIFICATION</small>
<b>D</b>	 <b>Female Ambulant Toilet</b> <small>AMENITY IDENTIFICATION</small>	 <b>Female Ambulant Toilet</b> <small>AMENITY IDENTIFICATION</small>
<b>E</b>	 <b>Toilets</b> <small>AMENITY IDENTIFICATION</small>	 <b>Toilets</b> <small>AMENITY IDENTIFICATION</small>
<b>F</b>	 <b>Unisex Toilet LH Gender Neutral</b> <small>AMENITY IDENTIFICATION</small>	 <b>Unisex Toilet LH Gender Neutral</b> <small>AMENITY IDENTIFICATION</small>
<b>G</b>	 <b>Female Toilet &amp; Shower</b> <small>AMENITY IDENTIFICATION</small>	 <b>Female Toilet &amp; Shower</b> <small>AMENITY IDENTIFICATION</small>
<b>H</b>	 <b>Parents Room</b> <small>AMENITY IDENTIFICATION</small>	 <b>Parents Room</b> <small>AMENITY IDENTIFICATION</small>

**ELEVATIONS**

Scale 1:10

# AMENITY SERIES


## INTERNAL SIGNS

I026

### AMENITY IDENTIFICATION

Sheet 2 of 11

<p><b>Colour:</b>          Braille: To match sign form          Pictograms: MQ Charcoal or MQ White, &amp; MQ Blue          Tactile Text: MQ Charcoal or MQ White          Sign form: MQ White, Matte or MQ Charcoal</p>	<p><b>Note:</b> If panel is MQ White, text/pictograms need to be MQ Charcoal. If panel is MQ Charcoal, text/pictograms need to be MQ White.</p> <p><b>Typface:</b>          Tactile text: National Regular</p>	<p><b>Material:</b>          Aluminum two-pack polyurethane finish face sign panel.          Sides: Timber detail.</p> <p><b>Construction Details:</b>          For an example of typical construction method refer to Section 08</p>	<p><b>Fixing:</b>          Concealed adhesive fixings.</p> <p><b>Graphic Application:</b>          Tactile text / pictograms / braille: 3D Digital Print</p> <p><b>Graphic Details:</b>          N/A</p> <p><b>Special Inclusions:</b>          N/A</p> <p><b>Size Notes:</b>          N/A</p>
--	--	---	--



### ELEVATIONS

Scale 1:20


**I026**

**AMENITY IDENTIFICATION**

Sheet 3 of 11

**DOOR LOCATED SIGNAGE**

For ambulant accessible sanitary facility.



**ELEVATIONS**


Scale 1:20

# AMENITY SERIES

## INTERNAL SIGNS

### AMENITY IDENTIFICATION


1026 Sheet 4 of 11



### GRAPHIC DETAILS

Scale 1:2

**I026** AMENITY IDENTIFICATION  
Sheet 5 of 11



**GRAPHIC DETAILS**

Scale 1:2

# AMENITY SERIES

## INTERNAL SIGNS

1026

### AMENITY IDENTIFICATION



Sheet 6 of 11



### GRAPHIC DETAILS

Scale 1:2

**I026** AMENITY IDENTIFICATION  
Sheet 7 of 11



**GRAPHIC DETAILS**

Scale 1:2


# AMENITY SERIES

## INTERNAL SIGNS

### AMENITY IDENTIFICATION

I026

Sheet 8 of 11



**Note:** General toilet sign to be used in airlock.




**Note:** General toilet sign to be used in airlock.

### GRAPHIC DETAILS

Scale 1:2



**AMENITY IDENTIFICATION**  
1026 Sheet 9 of 11



**Note:** RH is applicable where handrail is on right side



**Note:** RH is applicable where handrail is on right side

**GRAPHIC DETAILS**

Scale 1:2

# AMENITY SERIES

## INTERNAL SIGNS

1026

### AMENITY IDENTIFICATION

Sheet 10 of 11

G

270



**Note:** Male variant also applicable as required





**Note:** Male variant also applicable as required

### GRAPHIC DETAILS

Scale 1:2

**I026** AMENITY IDENTIFICATION  
Sheet 11 of 11



**GRAPHIC DETAILS**

Scale 1:2

# AMENITY SERIES

## INTERNAL SIGNS

1030

### AMENITY IDENTIFICATION - FLAG

Sheet 1 of 4

**A**



**B**



**C**



**D**



### GRAPHIC DETAIL

Scale 1:5


**1030**

**AMENITY IDENTIFICATION – FLAG**

Sheet 2 of 4

Colour: Pictograms: MQ Charcoal (on MQ White) or MQ White on MQ Blue Sign form: MQ White, Matte or MQ Blue	For an example of typical construction method refer to Section 08	N/A
Typeface: N/A	Fixing: Concealed secure fixings direct to wall via metal angle section in sign box. Install and fix sign face following structural connection.	Special Inclusions: N/A
Material: Aluminum two-pack polyurethane to all exposed surfaces. Sides: Timber detail.	Graphic Application: Pictograms: Digital Print Graphic Details:	Size Notes: N/A

Construction Details:



**ELEVATIONS**

Scale 1:20


# AMENITY SERIES

## INTERNAL SIGNS

1030

### AMENITY IDENTIFICATION - FLAG


Sheet 3 of 4



### ELEVATIONS

Scale 1:10

**1030** AMENITY IDENTIFICATION – FLAG  
Sheet 4 of 4



**GRAPHIC DETAIL**

Scale 1:5

# ROOM SERIES


## INTERNAL SIGNS

1032

### ROOM NUMBER IDENTIFICATION WITH NAME PLATE

Sheet 1 of 2

Colour: Tactile Text: MQ Black Braille: MQ White (to match sign form) Sliding Panel: MQ White, MQ Black Faculty name / staff name: MQ White, Matte	Tactile Text: National Bold Staffname/facultyname: National Regular	For an example of typical construction method refer to Section 08	N/A
Typeface:	Material: Aluminum two-pack polyurethane to front face OR acrylic. Victorian Ash timber side detail.	Fixing: Concealed adhesive fixings.	Special Inclusions: Sliding name plate.
	Construction Details:	Graphic Application: Tactile text/pictograms: 3D Digital Print Graphic Details:	Size Notes: N/A



### FRONT ELEVATION


Scale 1:20



**I032**

**ROOM NUMBER IDENTIFICATION WITH NAME PLATE**

Sheet 2 of 2



**GRAPHIC DETAIL**

Scale 1:2

# ROOM SERIES

## INTERNAL SIGNS

1034

### INTERNAL BUILDING EXIT SIGN

Sheet 1 of 1


Colour:  
Braille: To match sign form  
Tactile Text: MQ Charcoal or MQ White  
Sign form: MQ White, Matte or MQ Charcoal  
Typeface:  
Tactile text: National Regular

Material:  
2mm Aluminum two-pack  
polyurethane finish face sign  
panel or 3mm clear acrylic.  
Back painted to match MQ white  
and MQ Charcoal colour

Fixing:  
Concealed adhesive fixings.  
Graphic Application:  
Tactile text / braille: 3D Digital  
Print

Use:  
Required adjacent egress and  
fire stair doors.

Level: Ground floor exit shown.  
To be changed to level as  
applicable.



### GRAPHIC DETAILS

Scale 1: 2

**I035 HEARING LOOP IDENTIFICATION (OPTION 1)**  
Sheet 1 of 1

Colour:  
Tactile Text: MQ Blue  
Braille: MQ White  
(to match sign form)  
Pictogram: MQ Blue  
Sign form: MQ White

Typeface:  
Tactile Text: National Regular

Material:  
Aluminum two-pack polyurethane  
to all exposed surfaces.

Construction Details:  
For an example of typical  
construction method refer to  
Section 08

Fixing:

Concealed adhesive fixings.



N/A

Graphic Application:  
Tactile text/pictograms: 3D Digital  
Print

Size Notes:  
N/A

Graphic Details:  
N/A

Special Inclusions:  
AS 1428.5-2010 or later



**FRONT ELEVATION**  
Scale 1: 2

**FRONT ELEVATION**

Scale 1: 20

# ROOM SERIES


## INTERNAL SIGNS

1036

### HEARING LOOP IDENTIFICATION (OPTION 2)

Sheet 1 of 2

Colour: Tactile Text: MQ Blue Braille: MQ White (to match sign form) Pictogram: MQ Blue Sign form: MQ White	Material: Aluminum two-pack polyurethane to all exposed surfaces.	Concealed adhesive fixings.	N/A
Typeface: Tactile Text: National Regular	Construction Details: For an example of typical construction method refer to Section 08	Graphic Application: Tactile text/pictograms: 3DDigital Print	Size Notes: N/A
	Fixing:	Graphic Details: N/A	Special Inclusions: AS 1428.5-2010 or later




### FRONT ELEVATION

Scale 1: 20

**I036**

**HEARING LOOP IDENTIFICATION (OPTION 2)**

Sheet 2 of 2



**GRAPHIC DETAILS**

Scale 1:2

# GLAZING SERIES

## INTERNAL SIGNS

1041


### SAFETY DECAL WITH LOGO

Sheet 1 of 2

Colour: N/A	Fixing: Applied directly to rear of glazing.	centered in panels. Client to check all shop drawings.
Typeface: N/A	Graphic Application: Graphics to be digitally printed to decal.	Special Inclusions: Ensure sign colour provides required luminance contrast from wall/glass surface (minimum 30% contrast)
Material: Etchmark Self adhesive vinyl	Graphic Details: Logo to placed every 500mm. If there is a glazing partition signage contractor to ensure logos are	Size Notes: N/A
Construction Details: N/A		



**MACQUARIE**  
University




### FRONT ELEVATION

Scale 1: 20

**I041**

**SAFETY DECAL WITH LOGO**

Sheet 2 of 2



**FRONT ELEVATION**

Scale 1: 5


# GLAZING SERIES

## INTERNAL SIGNS

### 1042 BRAND GLAZING GRAPHIC

Sheet 1 of 2

Colour: Varying percentage levels of black.	Applied directly to rear of glazing.
Typeface: N/A	Graphic Application: Vinyl print.
Material: Etchmark Self adhesive vinyl	Graphic Details: N/A
Construction Details: N/A	Special Inclusions: Note: Ensure sign colour provides required luminance contrast from wall/glass surface (minimum 30% contrast)
Fixing:	Size Notes: N/A



Note: Graphic can be found in the MQ Brand identity guidelines 2018 Vo1 Section 2.4.3 or later

### FRONT ELEVATION

Scale 1: 50





1042

**BRAND GLAZING GRAPHIC**

Sheet 2 of 2

**LEVELS OF BLACK**



Note: Graphic can be found in the MQ Brand identity guidelines 2018 Vo1 Section 2.4.3 or later

**FRONT ELEVATION**

Scale 1: 50

# MISCELLANEOUS

## INTERNAL SIGNS

1050

### POSTER AND BROCHURE STAND

Sheet 1 of 1

Colour:  
Brochure holder: Reveal to be MQ White  
Sign form: MQ White, Matte

Typeface:  
N/A

Material:  
Aluminium two-pack polyurethane finish to all exposed surfaces  
Construction Details:

For an example of typical construction method refer to Section 08  
Note: Side profile to be as slim as possible whilst still ensuring structural integrity and accounting for given special inclusion requirements.

Fixing:

Concealed secure fixings to base building.


Graphic Application:  
N/A

Graphic Details:  
N/A

Special Inclusions:

Flame edged clear acrylic sliding panel. A3 poster insert.  
Brochure holder to be metal front face folded at regular angles to create a carrier. Metal to be thick to ensure no deformation over time.

Size Notes:  
N/A



### ELEVATIONS

Scale 1:20

**I051 ROOM PIN BOARD**  
Sheet 1 of 1

Colour:  
Frame: MQ White  
EchoPanel: Grey 442

Typeface:  
N/A

Material:  
Frame: Aluminum two-pack  
polyurethane to all exposed  
surfaces.  
Panel: EchoPanel pin board.

Construction Details:  
N/A


Fixing:  
Concealed fixings.

Graphic Application:  
N/A

Graphic Details:  
N/A

Special Inclusions:  
N/A

Size Notes:  
N/A



**FRONT ELEVATION**

Scale 1: 20


# MISCELLANEOUS

## INTERNAL SIGNS

### 1052 ARCYLIC POSTER CARRIER (A3)

Sheet 1 of 1

Colour: Clear	Graphic Application: N/A
Typeface: N/A	Graphic Details: N/A
Material: Flame edged clear acrylic	Special Inclusions: N/A
Construction Details: Off the shelf proprietary product.	Size Notes: N/A
Fixing: Concealed fixings.	



### FRONT ELEVATION

Scale 1: 20

I053

PICTURE FRAMES

Sheet 1 of 1

Colour:  
Frame: MQ White or Timber

Typeface:  
N/A

Material:  
N/A

Construction Details:  
Off the shelf item proprietary item from supplier such as Corban and Blair or similar. To be approved by client.  
corbanblair.com.au


Fixing:  
Concealed secure fixings to base building.

Graphic Application:  
N/A

Graphic Details:  
N/A

Special Inclusions:  
N/A

Size Notes:  
N/A



FRONT ELEVATION

Scale 1: 20



The following drawings are design intent. Signage contractors are required to take into consideration design intent in relations to the sign form and construction. If the design cannot be adhered to, the signage contractor is required to consult the University prior to issuing amendments for approval. No responsibility is taken for structural, electrical, mechanical and lighting engineering.

Note: Construction drawings showcase typical construction details only and should not be used for graphic layout. Many adjustments have been made including typefaces, logos and content structure.

# TYPICAL CONSTRUCTION DETAILS


## INTERNAL SIGNS

### DRAWING TRANSMITTAL

---

<b>SIGN TYPE</b>	<b>DRAWING NUMBER</b>	<b>TITLE</b>	<b>REVISION</b>	<b>DATE</b>	<b>NOTES</b>
I002 I005	SK-020	Main directory board details – wall mounted	1	Nov 2011	
I003	SK-021	Main directory board details – freestanding	1	Nov 2011	
I006 I009 I011 I018 I021 I036	SK-022	Main directory board details – wall mounted	1	Nov 2011	
I010 I010a	SK-023	Level arrival directional – suspended	1	Nov 2011	
I020 I022	SK-024	Special room series – wall mounted	1	Nov 2011	
I024 I030	SK-025	Identification – Flag	1	Nov 2011	





01 PLAN DETAIL  
1:10

02 FRONT ELEVATION  
1:10

03 SECTION A  
1:10

04 SECTION B  
1:10

Written dimensions take precedence over scaled dimensions. Contractors shall verify all critical dimensions on site prior to commencement of work. Any discrepancies which may affect the construction of the work shall be noted on the drawings and be noted stated to the designer prior to construction works commencing. Drawings shall be read in conjunction with written specification and any structural engineering documentation, including revisions or documents as may be issued during the work. All work to comply with the BCA, Australia Standards and other Codes as applicable, together with other authorities' requirements and regulations.

Issue	Date	For Client Review
A	21 11 11	For Approval
B	21 12 11	For Approval
C	19 09 13	Graphic Text Change
D	11 10 18	Graphic/Note Update

**Client**  
MACQUARIE UNIVERSITY

**Project**  
MACQUARIE UNIVERSITY BUILDING & WAYFINDING SIGNAGE

**Date**  
NOVEMBER 2011  
1202


**Drawn** MG  
**Checked** MT

**Drawing No.**  
SK-020 (1003)

**Drawing Title**  
Main Directory Board Details - Wall Mounted MQ06\_1003

**Revision**  
D

**Scale** 1:10 at A3



# CITIZEN

**Citizen Group Pty Ltd**  
 ABN 93 242 914 258  
 Suite 201, Level 2, 165 Phillip Street  
 Sydney NSW 2000  
 P: +61 (0)409 601 595

Written dimensions take precedence over scaled dimensions. All drawings are the property of Citizen Group Pty Ltd. Any discrepancies which may affect the design or structural integrity of the proposed works shall be noted stated to the designer prior to construction works commencing. Drawings shall be read in conjunction with written specifications, including revisions of documents as may be issued during the construction of the works. All work to comply with the BCA, Australia Standards and other Codes as applicable, together with other authorities' requirements and regulations.

Reproduction of the whole or part of this document for any purpose other than that for which it was prepared is prohibited. The information, ideas and concepts contained in this document are confidential. The recipient(s) of this document is prohibited from disclosing such information, ideas and concepts to any person without the prior written consent of Citizen Group Pty Ltd.

Issue	Date	For
A	21 11 11	For Client Review
B	21 12 11	For Approval
C	19 09 13	Graphic Text Change
D	11 10 18	Graphic/Note Update

**Client**  
MACQUARIE UNIVERSITY

**Project**  
MACQUARIE UNIVERSITY BUILDING & WAYFINDING SIGNAGE

**Date**  
NOVEMBER 2011

**Job no.**  
1202


**Drawn** MG

**Checked** MT

**Drawing No.**  
SK-021 (1002)


**Revision**  
D

**Drawing Title**  
Main Directory Board Details - Free Standing MQ06\_1002




03 SECTION 1:10

04 DETAIL - TYPICAL WALL MOUNT BRACKET 1:2



01 FRONT ELEVATION 1:10

02 PLAN DETAIL 1:10




<b>Client</b>	MACQUARIE UNIVERSITY
<b>Project</b>	MACQUARIE UNIVERSITY BUILDING & WAYFINDING SIGNAGE
<b>Date</b>	NOVEMBER 2011 12/02
<b>Drawn</b>	MG
<b>Checked</b>	MT
<b>Drawing No.</b>	SK-022 (1004)
<b>Revision</b>	C
<b>Drawing Title</b>	Large Directory Board Details - Wall Mounted MQ06_1004
<b>Scale</b>	1:10 at A3

Issue	Date	Description
A	21 11 11	For Client Review
B	19 09 13	Graphic Text Change
C	11 10 18	Graphic/Note Update

Reproduction of the whole or part of this document without the prior written consent of Citizen Group Pty Ltd. The information, ideas and concepts contained in this document are confidential. The recipient(s) of this document is prohibited from disclosing such information, ideas and concepts to any person without the prior written consent of Citizen Group Pty Ltd.

Written dimensions take precedence over scaled dimensions. All dimensions are in millimeters unless otherwise stated. The design or structural integrity of the proposed works shall be noted stated to the designer prior to construction works commencing. Drawings shall be read in conjunction with written specifications and including revisions of documents as may be issued during the works. All work to comply with the BCA, Australia Standards and other Code as applicable, together with other authorities' requirements and regulations.



01. FRONT ELEVATION

02. SECTION



**Citizen Group Pty Ltd**  
 ABN 93 242 914 258  
 Suite 201, Level 2, 165 Phillip Street  
 Sydney NSW 2000  
 P: +61 (0)409 601 595


Written dimensions take precedence over scaled dimensions. The designer shall be responsible for the design and construction of the sign. Any discrepancies which may affect the design or structural integrity of the proposed works shall be noted stated to the designer prior to construction works commencing. Drawings shall be read in conjunction with written specifications and other documents. All work to comply with the BCA, Australia Standards and other Codes as applicable, together with other authorities requirements and regulators.

Reproduction of the whole or part of this document. The information, ideas and concepts contained in this document are confidential. The recipient(s) of this document is prohibited from disclosing such information, ideas and concepts to any person without the prior written consent of Citizen Group Pty Ltd.

Issue	Date	Description
A	21/11/11	For Client Review
B	21/12/11	For Approval
C	19/09/13	Graphic text Change
D	11/10/18	Graphic/Note Update

<b>Client</b>	MACQUARIE UNIVERSITY
<b>Project</b>	MACQUARIE UNIVERSITY BUILDING & WAYFINDING SIGNAGE
<b>Date</b>	NOVEMBER 2011
<b>Job no.</b>	1202
<b>Drawn</b>	MG
<b>Checked</b>	IMT

<b>Drawing No.</b>	SK-023 (1008)	<b>Revision</b>	D
<b>Drawing Title</b>			
Level Arrival Directional - Suspended - MQ06_1008			
<b>Scale</b> 1:5 at A3			



01 FRONT ELEVATION  
1:5

03 SECTION  
1:5

02 PLAN DETAIL  
1:5

WALL FINISH SUBSTRATE (CONFIRM ON SITE)

50mm SHS ALUMINIUM SUB FRAME BRACED BY MDF SPLIT BATTENS

FLAT 2mm ALUMINIUM SIGNAGE PANELS BUILDING IDENTIFICATION NUMBERS LASER CUT TO REVEAL TIMBER VENEER BEYOND.

FLAT 2mm ALUMINIUM SIGNAGE PANELS COATED IN 2-PAC POLYURETHANE, TEXT IN TACTILE & BRAILLE & VINYL DECAL  
NOTE: ALUMINIUM PANEL BONDED TO ALUMINIUM FRAME USING DOUBLE SIDED TAPE

ELECTRICAL / COMMUNICATIONS CONDUIT CHASED OR SET INTO WALL DEPENDENT ON EXISTING WALL CONDITION

LOCALISED RECESS IN FRAME FOR 15" LCD SCREEN  
NOTE: CONFIRM POWER DATA & VENTILATION REQUIREMENTS PRIOR TO INSTALLATION

SPLIT TIMBER BATTEN SUPPORT FOR SIGNAGE PANEL (GLUE FOR PERMANENT FIXING)  
NOTE: REFER TO DRAWING SK-022 FOR MORE DETAIL

ASH TIMBER VENEER TO EXPOSED MDF FACES TO PERIMETER EDGES

7mm NOMINAL GAP BETWEEN WALL AND SIGN

ELECTRICAL / COMMUNICATIONS CONDUIT CHASED OR SET INTO WALL DEPENDENT ON EXISTING WALL CONDITION

WALL FINISH / SUBSTRATE (CONFIRM ON SITE)

ASH TIMBER VENEER TO EXPOSED MDF FACES TO PERIMETER EDGES

ALUMINIUM SUB FRAME IN 50mm SHS AND EQUAL ANGLES, BRACED BY MDF SPLIT BATTENS AND EXPOSED ASH PERIMETER TRIMS

Written dimensions take precedence over scaled dimensions. Contractors shall verify all critical dimensions onsite prior to commencement of work. Any discrepancies which may affect the integrity of the proposed works shall be noted and stated to the designer prior to construction works commencing. Drawings shall be read in conjunction with written specification and any structural engineering documentation including revisions of documents as may be issued during the project. All work to comply with the BCA, Australia Standards and other Codes as applicable, together with other authorities' requirements and regulations.


Reproduction of the whole or part of this document constitutes an infringement of copyright. The information, ideas and concepts contained in this document are the property of the designer and shall be retained in confidence. No part of this document is to be reproduced or transmitted in any form or by any means electronic, mechanical, photocopying, recording, or by any information storage and retrieval system without the prior written consent of Citizen Group Pty Ltd.

<b>Drawing No.</b> SK-024 (1021)	<b>Revision</b> C
<b>Drawing Title</b> Special Room Identification - Wall Mounted - MQ06_1021	
<b>Client</b> MACQUARIE UNIVERSITY	
<b>Project</b> MACQUARIE UNIVERSITY BUILDING & WAYFINDING SIGNAGE	
<b>Date</b> NOVEMBER 2011	<b>Job no.</b> 1202
<b>Drawn</b> MG	<b>Checked</b> MT
<b>Scale</b> 1:5 at A3	

Issue	Issue
A	21.11.11 For Client Review
B	19.07.13 Graphic Text Change
C	11.10.18 Graphic/Note Update



**Citizen Group Pty Ltd**  
 ABN 93 242 214 258  
 Suite 201 Level 2, 165 Phillip Street  
 Sydney NSW 2000  
 P: +61 (0)2 9409 6011 F: 595



01 FRONT ELEVATION  
1:2 @ A3

02 SECTION  
1:2 @ A3

ASH TIMBER VENEER TO EXPOSED MDF FACES TO PERIMETER EDGES

18mm MDF CORE STRUCTURE FOR SIGN. NOTE: CONCEALED SLOTS TO SUIT WALL BRACKET OR FABRICATED HOLLOW METAL SIGN BOX. SIGNAGE CONTRACTOR TO CONFIRM.

CONCEALED 100x50mm BRACKET FIXED TO EXISTING WALL

ANNOUNCED ALUMINIUM PACKER TO SUIT 5mm GAP FROM WALL. PACKER DETERMINED BY ASSESSING WALL CONDITION ON SITE

FLAT 2mm ALUMINIUM SIGNAGE PANELS, COATED IN 2-PAC POLYURETHANE. TEXT IN DIGITAL PRINT WITH VANDAL PROOF SEALANT.

NOTE: ALUMINIUM PANEL BONDED TO ALUMINIUM FRAME USING DOUBLE SIDED TAPE

Written dimensions take precedence over scaled dimensions. Contractors shall verify all critical dimensions on site prior to commencement of work. Any discrepancies which may affect the design or structural integrity of the proposed works shall be referred to the designer prior to construction works commencing. Drawings shall be read in conjunction with written specification and any structural engineering documentation including revisions of documents as may be issued during the life of the project. All work to comply with the BCA, Australia Standards and other Codes as applicable, together with other authorities' requirements and regulators.

Reproduction of the whole or part of this document constitutes an infringement of copyright. The information, ideas and concepts contained in this document are confidential. The recipient(s) of this document shall not disseminate, copy, or otherwise use the concepts to any person without the prior written consent of Citizen Group Pty Ltd.

Issue	Date	For Client Review
A	21.11.11	For Client Review
B	19.09.13	Graphic Text Change
C	11.10.18	Graphic/Note Update

<b>Client</b>	MACQUARIE UNIVERSITY
<b>Project</b>	MACQUARIE UNIVERSITY BUILDING & WAYFINDING SIGNAGE
<b>Date</b>	NOVEMBER 2011
<b>Job no.</b>	1202
<b>Drawn</b>	MG
<b>Checked</b>	MT

<b>Drawing No.</b>	SK-025 (1024)	<b>Revision</b>	C
<b>Drawing Title</b>	Special Room Identification - Flag - MQ06_1024		
Scale 1:2 at A3			

