

MQDG | Materials and Finishes

ELEMENT	COMPONENT	STEEL		ALUMINIUM			TIMBER			MASONRY			SHEET LININGS			PL	PAVINGS			REFERENCE																			
		MATERIAL TYPE: ▶	FINISH TYPE: ▶	Zinculume PreFormed & Hot Dipped Galvanised	Pre-Finished 2 Pck Polyurathene	Stainless Steel	Clear Anodised.	Colour Anodised	Powder Coated.	Termite Resistant or Treated	Painted	Stained	Brick – Fair Faced.	Concrete.	Concrete Block.	Split Face Concrete Blocks.	Compressed Fibre Cement.	Fibreglass –Plain Translucent.	Opalised Translucent Fibreglass.		Polycarbonate Twin Walled.	Laminated Safety Glass.	UPVC Plastic	Oxide Coloured Concrete.	Plain Concrete – Broom Finished	Washed aggregate	Granolithic - Non Slip	Terrazzo	Asphaltic Concrete.	Unit Paving.									
DRAINAGE ROOF	Roof:		M																																				
	Eaves:		M																																				
	Fascia:									M																													
	Gable End:		M																																				
	Gutter:		M																																				
	Valley:		M																																				
	Downpipe: Above 2.1m:		P																				P																
Downpipe: Below 2.1m:			M																																				
STRUCTURE	Beams:		P						P		P																												
	Trusses:		P						P		P																												
	Columns - Single Storey:		M									P	P	P																									
	Columns - Multiple Storey:																								M														
	Columns - Walkways:		P																						P														
	Masonry Walls:												M																										
	Stud Walls:		P							P																													
WALL	From FFL – 960mm:																																						
	From 960 – 2,140mm:					M						M										M																	
	Above 2,140mm:		P																																				
FENESTRATION	Solid Core:										P																												
	Solid Core – Half Glazed:										P																												
	Frames:					P	P	P																															
	Security:																																						
	Fly Screen:							P																															
	Roller Shutter:		*																																				
	Sectional Overhead (Bif'ld):		*																																				
	Window Frames:					M																																	
Louvres – Operable:					M		A																																
Louvres – Fixed:					M		A																																

LEGEND: M: Mandatory; P: Preferred choice(s); S: Selective Usage, refer MQUDG; A: MQP approval required *: See External / Internal Selection Data Guide

MQDG | Materials and Finishes

ELEMENT	COMPONENT	MATERIAL TYPE: ▾		ALUMINIUM			TIMBER			MASONRY			SHEET LININGS			PL	PAVINGS			AS	REFERENCE																				
		FINISH TYPE: ▾		Zinculume PreFormed & Hot Dipped Galvanised	Pre-Finished 2 Pck Polyurathene	Stainless Steel	Clear Anodised.	Colour Anodised	Powder Coated.	Termite Resistant or Treated	Painted	Stained	Brick – Fair Faced.	Concrete.	Concrete Block.	Split Face Concrete Blocks.	Compressed Fibre Cement.	Fibreglass – Plain Translucent.	Opalised Translucent Fibreglass.			Polycarbonate Twin Walled.	Laminated Safety Glass.	UPVC Plastic	Oxide Coloured Concrete.	Plain Concrete – Broom Finish	Washed aggregate	Granolithic - Non Slip	Terrazzo	Asphaltic Concrete.	Unit Paving.										
GLAZING	Air Grills:		P		P																																				
	From FFL – 960mm:																																								
	From 960 – 2143mm:																				M																				
	From 2143mm upwards:																				M																				
WALKWAY	Either side of Doors:.																			M																					
	Balustrade:		P	P	P	P	P																																		
CIRCULATION	Handrail:		P		P																																				
	Stairs:											P																													
	Steps:											P																													
	Paths:																						S	P																	
	Ramps:																							M																	
	Covered Walkways:																								M																
	Assembly Area:																																								
	Trees in Paving																																								
	Games Courts:																																								
	Car Parks:																																								
	Service Roads:																																								
	Trade Waste:																																								
SECURITY	Grill Gates:		P	S																																					
	Grilles: Window:		P		S																																				
	Grilles: Door:		P																																						
	Fencing: Boundary:		P				P		P																																
	Fencing - Compounding:		P																																						
Masonry Walls:												P																													

LEGEND: M: Mandatory; P: Preferred choice(s); S: Selective Usage, refer MQUDG; A: MQP approval required *: See External / Internal Selection Data Guide

MQDG | Materials and Finishes

ELEMENT	COMPONENT	MATERIAL TYPE: ▶	STEEL						ALUMINIUM	TIMBER			MASONRY	TOPPING & FINISHES						BOARD, SHEET, & TILE LININGS						FABRIC	GLASS	INSLTN		BARRIER	REFERENCE																		
		FINISH TYPE: ▶	Stainless Steel	Hot Dipped Galvanised	Zincalate Primed – Ready to Paint	Zincalume Pre-Formed & Finished	Perforated Corrugated Zincalume.	Pre-Finished 2 Pack Polyurethane	Clear Anodise	Colour Anodised	Powder Coated	Termite Resistant or Treated.	Painted	Stained	Tung Oil, Polyurethane	Brick – Fair Faced.	Brick – Non Fair Faced.	Concrete – Painted.	Granolithic - Non Slip.	Vinyl.	Vinyl – Cellular Foam Backed.	Ceramic Tiles.	Compressed Fibre Cement	Plywood – Clear finished	Pin board Composite Laminated	Plaster Board	Perforated Acoustic Plaster Board	Hygienic Acoustic Tiles/Panels.	Carpet – 1627g/m ² Plus Underlay.	Carpet – High Density Latex Foam		Carpet – Direct Stick – No Und'lay	Vinyl.	Nylon Polyester Blended, Non Wool	Laminated Safety Glass	Clear Solid Prismatic Diffuseer.	R1.5 Blanket	R 2.5 Blanket	Thermal Bridging Barrier.	Vapour Barrier – 350g/m ² .	Termite Barriers.								
STRUCTURE	Roof Beams:		P									P	P	P																																			
	Roof Trusses:		P*				P				P	P	P																																				
	Wall – Masonry:														P	P																																	
	Wall – Framed:			P*							P*												P	P	P																								
	Columns –Single Storey:		P								P	P	P																																				
Columns –Multi Storey:		P																																															
CEILING	Standard Raked & Flat:																								P																								
	Acoustic Linings:					P																				P	P																						
INSULATION WALL	From FFL – 960mm:																																																
	From 960 – 2,100mm:														S	S										S	P	P																					
	From FFL – 2.100mm.:																										S	P																					
	Above 2.100mm :																																																
	Damp & Pest Prevention:																																																
	Roof: Under Lining:																																																
Vapour Barrier:																																																	
Ceiling – Above Lining:																																																	
Wall – Within Stud Framing:																																																	
OPENING	Glass																																																
	Servery Hatches:		P								P																																						
	Window Frames:											M																																					
	Door Frames:		P									P																																					
	Doors		P								P	P																																					
Soft:																																																	

LEGEND: M: Mandatory; P: Preferred choice(s); S: Selective Usage, refer MQUDG; A: MQP approval required *: See External / Internal Selection Data Guide

MQDG | Materials and Finishes

ELEMENT	COMPONENT		MATERIAL TYPE: ▶		STEEL		ALUMINIUM		TIMBER		MASONRY		TOPPING & FINISHES		BOARD, SHEET, & TILE LININGS		FABRIC		GLASS		INSLTN		BARRIERS		REFERENCE		
	FINISH TYPE: ▶																										
SECURITY	WALKWAYS	FL	Acoustic Resilient:																								
			Wet Areas:													M		M									
			Ramps:																								
			Stair:													P											
			Sports/Fitness:																								
			Balustrade:		P	P	P																				
			Handrail:	P	P																						
			Cornice:									P	P														
			Skirtings:														P		P								
			Covings:														P		P								
			Window Sills:									P	P		P												
			Window Reveals:									P	/														
			Grilles – Window:	S	S																						
			Ventilation Grilles - Door:			S				S																	

LEGEND: M: Mandatory; P: Preferred choice(s); S: Selective Usage, refer MQUDG; A: MQP approval required *: See External / Internal Selection Data Guide