

| | | |
|------------------------------|---|-------------------|
| <u>Storeroom Lock</u> | For use on fire stairs, plant rooms, services rooms | |
| Function: | Outside is always locked and key always required, inside handle is always free egress. Note: On fire stairs it is always free to enter the fire stair, from the corridor, but key required to exit between floors, Ground floor is free both ways. | |
| | Right Hand doors | Left Hand Doors |
| Lock Body | KABA MS2SCP | KABA MS2SCP |
| Locking Barrel | Bilock ILS5390QSCP/R Security Barrel (provided by the University) | |
| Outer Plate & Handle | KABA 1501C-20SSSR | KABA 1501C-20SSSL |
| Inner Plate & Handle | KABA 1502V-20SSSL | KABA 1502V-20SSSR |

| | | |
|-----------------------------|---|-------------------|
| <u>Cupboard Lock</u> | For use on services cupboards – Lockable | |
| Function: | Lockable from outside | |
| | Right Hand doors | Left Hand Doors |
| Lock Body | KABA NL550SSS | KABA NL550SSS |
| Locking Barrel | Bilock FA2301QSC Barrel (provided by University) | |
| Outer Plate & Handle | KABA 1502C-DPSSSR | KABA 1502C-DPSSSL |
| Inner Plate & Handle | | |

| | | |
|------------------------------|---|------------------|
| <u>Cupboard Latch</u> | For use on services cupboards – not lockable | |
| Function: | Not lockable handle | |
| | Right Hand doors | Left Hand Doors |
| Lock Body / Latch | KABA RB111SCP | KABA RB111SCP |
| Locking Barrel | | |
| Outer Plate & Handle | KABA 1502C-DPSSS | KABA 1502C-DPSSS |
| Inner Plate & Handle | | |

| | | |
|------------------------------|---|-------------------|
| <u>Classroom Lock</u> | For use on classrooms Tutorial rooms and meeting rooms | |
| Function: | Outside can be locked or unlocked with a key, inside handle is always free egress. | |
| | Right Hand doors | Left Hand Doors |
| Lock Body | KABA MS2SCP | KABA MS2SCP |
| Locking Barrel | Bilock ILS5390QSCP/R Security Barrel (provided by the University) | |
| Outer Plate & Handle | KABA 1501C-20SSSR | KABA 1501C-20SSSL |
| Inner Plate & Handle | KABA 1502V-20SSSL | KABA 1502V-20SSSR |

| | | |
|--|--|--------------------------|
| <u>Classroom lock with Cardax</u> | For Tutorial spaces & Laboratories with swipe card access to doors | |
| Function: | Outside handle always free (not Lockable), inside handle always free egress | |
| | Right Hand doors | Left Hand Doors |
| Lock Body | LOCKWOOD 3572 * | LOCKWOOD 3572* |
| Strike Plate | ES 2100 Electric Strike* | ES 2100 Electric Strike* |
| Outer Plate & Handle | KABA 1502C-20SSSR* | KABA 1502C-20SSSL* |
| Inner Plate & Handle | KABA 1502V-20SSSL* | KABA 1502V-20SSSR* |

*Note: Where Cardax swipe is installed on doors use ES2100 Lock/Strike combos with magnetic 3572 face plates.

| | | |
|----------------------|---|-------------------|
| Office Lock | For Locked Office Doors | |
| Function: | Passage mode (unlocked) until locked with inner turn knob, inside handle is always free egress. | |
| | Right Hand doors | Left Hand Doors |
| Lock Body | KABA MS2SCP | KABA MS2SCP |
| Locking Barrel | Bilock ILS5390QSCP/R Security Barrel (provided by the University) | |
| Outer Plate & Handle | KABA 1501C-20SSSR | KABA 1501C-20SSSL |
| Inner Plate & Handle | KABA 1503V-20SSSL | KABA 1503V-20SSSR |

| | | |
|----------------------|---|-------------------------|
| Passage Latch | For Non Locked Doors | |
| Function: | Outside handle always free (not Lockable), inside handle always free egress | |
| | Right Hand doors | Left Hand Doors |
| Lock Body | KABA MS2SCP | KABA MS2SCP |
| Strike Plate | ES 2100 Electric Strike | ES 2100 Electric Strike |
| Outer Plate & Handle | KABA 1502C-20SSSR | KABA 1502C-20SSSL |
| Inner Plate & Handle | KABA 1502V-20SSSL | KABA 1502V-20SSSR |

| | | |
|-------------------------------------|---|---------------------------|
| Privacy Latch with Indicator | For Toilet cubicles within larger toilet facility area | |
| Function: | Outside Privacy Indicator, slotted emergency release. Inside Privacy turn snib | |
| | Right Hand doors | Left Hand Doors |
| Lock Body | Lockwood L547-548. S.C.P. | Lockwood L547-548. S.C.P. |
| Strike Plate | To suite lock/latch | To suite lock/latch |
| Outer Plate & Handle | Lockwood L547-548. S.C.P. | Lockwood L547-548. S.C.P. |
| Inner Plate & Handle | Lockwood L547-548. S.C.P. | Lockwood L547-548. S.C.P. |

| | | |
|--|--|----------------------|
| Accessible Privacy Latch with Indicator | For Toilet rooms eg. Where single room facility is included & Accessible toilets. | |
| Function: | Outside Privacy Indicator, emergency release and handle. Inside Privacy DA (accessible) turn snib(FA311) | |
| | Right Hand doors | Left Hand Doors |
| Lock Body | To suite function | To suite function |
| Strike Plate | To suite lock/latch | To suite lock/latch |
| Outer Plate & Handle | KABA 1553C-20SSSR | KABA 1553C-20SSSL |
| Inner Plate & Handle | KABA 1513VDAT-20SSSL | KABA 1513VDAT-20SSSR |

| | | |
|----------------------|--|--|
| Panic Bar | For Larger population rooms such as Theatres, etc. where double door width exits are required | |
| Function: | Outside can be locked or unlocked with a key, inside handle is always free for egress. | |
| | Pair of Double Doors | |
| Lock Body | ED22DPNLCED ED22DP | |
| Strike Plate | | |
| Outer Plate & Handle | KABA 1502C-20SSSR* | |
| Inner Plate & Handle | KABA 1502V-20SSSL* | |